

In 2 Moto

1 Fennel Street Warrington WA1 2PA
Sales: 01925 411 414 Email: info@in2moto.co.uk

Lambretta V 50 Special E5 Flex Fender 2022

£2,999 ^{+OTR}
from £56.02 p/m

V-Special is proof that it is a pure Lambretta



New 2021 Lambretta V Special 50cc Every detail of the V-Special is proof that it is a pure Lambretta: Head and rear lights show the Lambretta trademark while the key is decorated with the traditional Lambretta lion. A large luggage area can be found under the comfortable seat. In regards to technology, the new V-Special is up-to-date. Front and rear disc brakes provide excellent braking performance To further customise the ‘lammy’, Lambretta has prepared full carbon sets for the aftermarket that will convert the machine into a real old school Lambretta ‘bicolour’ Lambretta provides a series of helmets in the same colours as the vehicles. High end materials like carbon for the shell, genuine leather for the lining and stainless steel guarantee the highest wearing comfort. Lambrate, the fashionable district (“quartiere”) , is located within Zone 3, the administrative division of Milan, 6 km north-east of the city centre. The district is well known for Parco Lambro, a large urban park established in 1934. The River Lambo rises from the Monte San Primo, elevation 1,685 metres (5,528 ft.), near the famous Madonna Ghisallo hill, not far from Lake Como. The Lambro passes through Brianza then reaching Monza before crossing its famous park (where king Umberto I was assassinated by Gaetano Bresci) in two branches which join again before the river passes through the eastern part of Milan. The Lambro finally flows into the River Po near Orio Litta. The Lambro is derived from Lambrus, which corresponds to Greek ????????, meaning ‘light (in weight), quick, nimble’ and is related to Illyrian lembus ‘light vehicle’ whence also Greek ??????. Lambretta riders are commonly referred to as Lambrettista (singular) or Lambrettisti (plural).

Engine

ENGINE TYPE Single cylinder, 4-stroke, air cooled	MAX. TORQUE 9.2Nm@7000rpm	CLUTCH Automatic	COOLING SYSTEM Air Cooled	GEAR RATIO 15.43 final drive
DISPLACEMENT 49.5cc	FUEL SUPPL Electronic Fuel Injection	GEARBOX Automatic	BATTERY 12V	
COMPRESSION RATION 10.7:1	EXHAUST SYSTEM Euro 5 Compliant	FINAL DRIVE Belt	SPARK PLUG N/A	
RATED OUTPUT 2.6kW@7500rpm	CERTIFICATION Euro 5	IGNITION ECU	STARTING Electric	

Chassis

FRAME Steel Tube	REAR BRAKE Hydraulic Disc 110mm	FRONT TYRE 110/70-12
FRONT SUSPENSION Telescopic Forks	FRONT RIM TYPE Cast	REAR TYRE 120/70-12
FRONT BRAKE Hydraulic Disc 226mm	REAR RIM TYPE Cast	TAILLIGHT LAMP LED
REAR SUSPENSION Single Suspension	REAR RIM DIMENSION 12 in	

Dimension

LENGTH 1900mm	PERMITTED TOTAL WEIGHT 268kg	SEAT HEIGHT 770mm
WIDTH 690mm	USABABLE TANK VOLUME 6.5 Ltr	
HEIGHT 1130mm	RESERVE 0.2	
UNLADEN WEIGHT 118kg	WHEELBASE 1330mm	

Colour Options



Black Flex Fender



White Flex Fender



Red Flex Fender



YELLOW FLEX 22 Model



GREEN 22 FLEX Model



BLACK 22 Flex Model

Contact us

In 2 Moto

1 Fennel Street Warrington WA1 2PA

Phone: 01925 411 414

Email: In 2 Moto

Website: <https://www.in2moto.co.uk>

Working Time

Monday-Friday: 9am-6pm

Saturday: 9am-5pm

Sunday: 11am-4pm